





Test Report Date: Sep 23, 2019 No. VNSL1909030801FW Page 1 of 11

CONG TY TNHH CRECIMIENTO VIET NAM

DUONG SO 4, KCN DONG AN, P. BINH HOA, THUAN AN BINH DUONG PROVINCE, VIET NAM

The following sample was submitted and identified on behalf of the client as:

Report on the submitted samples said to be:

Sample Description FABRIC

Division **Footwear Division**

Buyer's Name Adidas

Summary of Test Result **PASS**

Failure Test Items

Age Group Infant (<36 months), Adults

Material Name / Code TRICOT 36G EPM5/ TC 36G EPM5

Color Name / Code **BLACK**

Material Component **POLYESTER**

Lot No./Purchase / Order No.

Supplier Name CRMTO

Supplier Contact Person Country of Supplier Country of Destination

Sample Classification Polyester textile (400)

Test Required Key Code No. Key code 400 under Adidas A-01 Test Standard 2019

FT (Full Test) Report Type

Full test report No. Additional information

Sample Received Date Sep 13, 2019. Confirmation Date: Sep 17, 2019

Sample Tested Date Sep 17, 2019 - Sep 20, 2019

SGS Job No. : VNSL1909030801FW

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Do

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Date: Sep 23, 2019

Page 2 of 11

Summary of Test Result: (Detail test results on next page)

Test Parameter	Test Method	Conclusion (P ass/ F ail)
Extractable Heavy Metals (For non-leather except wool)	Others: With reference to EN 16711-2:2016. Analysis was performed by ICP-MS.	P ass
pH Value (Non-leather)	With reference to DIN EN ISO 3071:2006	P ass
 Σ PCP, TeCP and TriCP 	Textile: Extraction with KOH. Analysis by GC-MS.	P ass
Azo-amines	Textile: with reference to DIN EN ISO 14362-1:2017. Analysis was conducted by GC-MS.	P ass
Formaldehyde	Non-leather-Adults: With reference to DIN EN ISO 14184-1:2011. Analysis was performed by UV/VIS spectrophotometer. Non-leather: Infants: With reference to JISL 1041A:2011. Analysis was performed by UV/VIS spectrophotometer.	P ass
Disperse Dyes and dyestuffs (Table A)	With reference to DIN 54231:2005. Analysis was conducted with HPLC-DAD-MSD.	P ass
Organotin Compounds	With reference to ISO/TS 16179:2012. Analysis was performed by GC-MS.	P ass
Σ Nonylphenol (NP), Octylphenol (OP), Nonylphenol ethoxylates (NPEO) and Octylphenol ethoxylates (OPEO)	NP, OP: Extraction with THF. Analysis was performed by LC-MS. NPEO, OPEO: Textile and Non-leather: With reference to DIN EN ISO 18254-1:2016. Analysis was performed by LC-MS.	Pass
Nonylphenol (NP)	Extraction with THF. Analysis by LC-MS	P ass
Octylphenol (OP)	Extraction with THF, Analysis by LC-MS	P ass
PFOS / PFOA and its salts and esters	-	Not applicable
Dimethylfumarate (DMFu)	-	Not applicable

Summary of Failed Test Result: (Detail test results on next page)

<u>Failed Test</u>	Failed Test Component	<u>Failed Result</u>

The Company's consulting services, including any review of product safety regulations and industry standards listed in product protocols ("Protocols") are based upon information provided by client, Company's know-how and on publicly available sources at the time the services were supplied. Client is responsible for providing any and all information about its product design, manufacture and other accurate information that may be required to complete the Protocols. Client is responsible for his decision to make whatever use of the information contained in the Protocols and accepts all risks for any loss or damage of any kind that may occur hereof. In addition, client shall be sole responsible for all liabilities for injuries caused by defects in the design, manufacturing or labelling of their products. Protocols must be used as guidance only, as similar products may have different detailed test requirements depending on specific functions. Company disclaims any and all liability for the accuracy of any such publicly available information or any legal interpretation of such information. SGS provides its services in a consulting capacity only and offers no legal opinion(s) herein. The opinions provided by the Company are not a substitute for professional legal advice and client should seek legal review to ensure compliance with any applicable laws and regulations.

The Company's consulting services are governed by and subject to the General Conditions of Service at http://www.sgs.com/en/Terms-and-Conditions.aspx. ©2010 SGS SA. All rights reserved.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Do

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Page 3 of 11

Samples Photo

Date: Sep 23, 2019



Signed for and on behalf of **SGS Vietnam LTD**

bognens

Rhodora Quinto Softlines Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Date: Sep 23, 2019

Page 4 of 11

Component List / List of Materials

Sample No.	Component	Material
A1	Black polyester fabric	Textile

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Date: Sep 23, 2019

Page 5 of 11

Test Results:

Extractable Heavy Metals (For non-leather except wool)

Others: With reference to EN 16711-2:2016. Analysis was performed by ICP-MS.

		Result (mg/kg)	
	CAS-No.	<u>A1</u>	
Antimony (Sb)	7440-36-0	n.d.	
Cadmium (Cd)	7440-43-9	n.d.	
Chromium (Cr)	7440-47-3	n.d.	
Lead (Pb)	7439-92-1	n.d.	
Mercury (Hg)	7439-97-6	n.d.	
Conclusion		PASS	

Note: n.d. = not detected

mg/kg = ppm

Requirement:	<u>Infants</u>	<u>Adults</u>	Reporting limit
-	(mg/kg)	<u>(mg/kg)</u>	(mg/kg)
Cadmium	0.1	0.1	0.03
Chromium	1.0	2.0	0.3
Lead	0.2	1.0	0.06
Mercury	0.02	0.02	0.006
Antimony	30	30	3.0

pH Value (Non-Leather) (*)

Test Method: With reference to DIN EN ISO 3071:2006.

		Result
	CAS-No.	<u>A1</u>
pH value		5.8
Conclusion		PASS

Note: Extraction medium KCI solution

> pH value of extraction medium 5.6 Temperature of the extraction solution 22 + 2°C

Requirement: 4.0 - 7.5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No. VNSL1909030801FW Date: Sep 23, 2019 Page 6 of 11

Σ PCP, TeCP and TriCP (for Adults)

Textile: Extraction with KOH. Analysis by GC-MS Test Method:

		Result (mg/kg)
	CAS-No.	<u>A1</u>
Pentachlorophenol (PCP)	87-86-5	0.10
Tetrachlorophenols (TeCP)		0.35
Trichlorophenols (TriCP)		n.d
Sum of PCP, TeCP and TriCP		0.45
Conclusion		PASS

Note: n.d. = not detected

mg/kg = ppm

Reporting limit = 0.05 mg/kg (for individual compound)

Requirement: 0.5 mg/kg (sum)

Σ PCP, TeCP and TriCP (for Infants)

Textile: Extraction with KOH. Analysis by GC-MS Test Method:

		<u>Result</u> (mg/kg)
	CAS-No.	<u>A1</u>
Pentachlorophenol (PCP)	87-86-5	0.10
Tetrachlorophenols (TeCP)		0.35
Trichlorophenols (TriCP)		0.03
Sum of PCP, TeCP and TriCP		0.48
Conclusion		PASS

Note: n.d. = not detected

mg/kg = ppm

Reporting limit = 0.015 mg/kg (for individual compound)

Requirement: 0.05 mg/kg (sum)

Azo-Amines (Colorant Extraction)

Textile: With reference to DIN EN ISO 14362-1:2017. Analysis was conducted by GC-MS/ HPLC-DAD. Test Method:

		Result (mg/kg)
	CAS-No.	<u>A1</u>
4-Aminobiphenyl	92-67-1	n.d.
Benzidine	92-87-5	n.d.
4-Chlor-o-toluidine	95-69-2	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Do

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No. VNSL1909030801FW Date: Sep 23, 2019 Page 7 of 11

Conclusion		PASS
2,6 – Xylidine	87-62-7	n.d.
2,4 – Xylidine	95-68-1	n.d.
O-Anisidine	90-04-0	n.d.
4-aminoazobenzene	60-09-3	n.d.
2,4,5-Trimethylaniline	137-17-7	n.d.
4-methyl-m-phenylenediamine / 2,4-Toluylendiamine	95-80-7	n.d.
o-Toluidine	95-53-4	n.d.
4,4'-Thiodianiline	139-65-1	n.d.
4,4'-Oxydianiline	101-80-4	n.d.
4,4'-Methylene-bis-(2-chloroaniline)	101-14-4	n.d.
p-Cresidine	120-71-8	n.d.
4,4'-methylenedi-o-toluidine / 3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	n.d.
3,3'-Dimethybenzidine	119-93-7	n.d.
3,3'-Dimethoxybenzidine	119-90-4	n.d.
3,3'-Dichlorobenzidine	91-94-1	n.d.
4,4'-Diaminodiphenylmethane	101-77-9	n.d.
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	n.d.
4-Chloroaniline	106-47-8	n.d.
5-nitro-o-toluidine / 2-Amino-4-nitrotoluene	99-55-8	n.d.
o-Aminoazotoluene	97-56-3	n.d.
2-Naphthylamine	91-59-8	n.d.

Note: n.d. = not detectable

mg/kg = ppm

Reporting limit = 5 mg/kg (for individual compound)

Requirement: 20 mg/kg (for individual compound)

Remark:

* Colorant extraction refers to the colourant extraction and subsequent reduction according to DIN EN ISO 14362-1:2017 clause 10.1 and relevant clauses.

The DIN EN ISO 14362-1:2017 methods will enable further cleavage of 4-aminoazobenzene to non-forbidden amines: aniline and 1,4-phenylenediamine. If aniline and/or 1,4-phenylenediamine is not found (i.e. 5 mg/kg) by mentioned test method, test result for 4-aminoazobenzene (CAS no. 60-09-3) is considered as "not detected" (i.e. <5 mg/kg). Otherwise, the test method of DIN EN ISO 14362-3:2017 will be employed to verify the presence of 4-aminoazobenzene.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Page 8 of 11

Date: Sep 23, 2019

Formaldehyde (Non-Leather)

Non-leather: Adults: With reference to DIN EN ISO 14184-1:2011. Test Method:

Analysis was performed by UV/VIS spectrophotometer.

		Result (mg/kg)	
	CAS-No.	<u>A1</u>	
Formaldehyde	50-00-0	n.d.	
Conclusion		PASS	

n.d. = not detected Note:

mg/kg = ppm

Reporting limit = 16 mg/kg

Requirement:

Adults: 75 mg/kg

Formaldehyde (Non-Leather) (*)

Test Method: Non-leather: Infants: With reference to JISL 1041A:2011. Analysis was

performed by UV/VIS spectrophotometer.

		Result (mg/kg)	
	CAS-No.	<u>A1</u>	
Formaldehyde	50-00-0	n.d.	
Conclusion		PASS	

Note: n.d. = not detected

mg/kg = ppm

Reporting limit = 5 mg/kg

Requirement:

Infants: 16 mg/kg Children apparel (size < 98-176): 20 mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Do

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Page 9 of 11

Date: Sep 23, 2019

Disperse Dyes and Dyestuffs (Table A) (*)

Test Method: With reference to DIN 54231:2005. Analysis was conducted with HPLC-DAD-MSD.

Disperse Blue 1	CAS-No. 2475-45-8	(mg/kg) <u>A1</u>
Disperse Blue 1	2475-45-8	
		n d
	1 2475 46 0	n.d. n.d.
Disperse Blue 3	2475-46-9	
Disperse Blue 7	3179-90-6	n.d.
Disperse Blue 26	3860-63-7	n.d.
Disperse Blue 35	12222-75-2	n.d.
Disperse Blue 102	12222-97-8	n.d.
Disperse Blue 106	12223-01-7	n.d.
Disperse Blue 124	61951-51-7	n.d.
Disperse Brown 1	23355-64-8	n.d.
Disperse Yellow 1	119-15-3	n.d.
Disperse Yellow 3	2832-40-8	n.d.
Disperse Yellow 9	6373-73-5	n.d.
Disperse Yellow 23	6250-23-3	n.d.
Disperse Yellow 39	12236-29-2	n.d.
Disperse Yellow 49	54824-37-2	n.d.
Disperse Orange 1	2581-69-3	n.d.
Disperse Orange 3	730-40-5	n.d.
Disperse Orange 11	82-28-0	n.d.
Disperse Orange 37/59/76	12223-33-5 / 13301-61-	n d
	6 / 51811-42-8	n.d.
Disperse Orange 149	85136-74-9	n.d.
Disperse Red 1	2872-52-8	n.d.
Disperse Red 11	2872-48-2	n.d.
Disperse Red 17	3179-89-3	n.d.
Acid Red 26	3761-53-3	n.d.
Basic Red 9	569-61-9	n.d.
Basic Violet 14	632-99-5	n.d.
Direct Black 38	1937-37-7	n.d.
Direct Blue 6	2602-46-2	n.d.
Direct Red 28	573-58-0	n.d.
Basic Blue 26	2580-56-5	n.d.
Basic Violet 3	548-62-9	n.d.
Conclusion		PASS

Note: n.d. = not detected mg/kg = ppm

Reporting Limit = 15 mg/kg (for individual compound)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Date: Sep 23, 2019

Page 10 of 11

Requirement: **Organotin Compounds (*)**

50 mg/kg (for individual compound)

With reference to ISO/TS 16179:2012. Analysis was performed by GC-MS. Test Method:

		Result (mg/kg)
	CAS-No.	<u>A1</u>
Tributyltin (TBT)		n.d.
Triphenyltin (TPhT)		n.d.
Dibutyltin (DBT)		n.d.
Dioctyltin (DOT)		n.d.
Monobutyltin (MBT)		n.d.
Monooctyltin (MOT)		n.d.
Trioctyltin (TOT)		n.d.
Conclusion		PASS

n.d. = not detected Note:

> mg/kg = ppmReporting limit TBT = 0.05 mg/kg

Others = 0.1 mg/kg (for individual compound)

Requirement:

TBT Not Detected TPhT 0.5 mg/kg **DBT** 1 mg/kg DOT 1 mg/kg **MBT** 1 mg/kg MOT 1 mg/kg TOT 1 mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. VNSL1909030801FW

Date: Sep 23, 2019 Page 11 of 11

Σ Nonylphenol (NP), Octylphenol (OP), Nonylphenol ethoxylates (NPEO) and Octylphenol ethoxylates (OPEO)

Test Method: NP, OP: Extraction with THF. Analysis was performed by LC-MS.

NPEO, OPEO: Textile and Non-leather: With reference to DIN EN ISO 18254-1:2016. Analysis

was performed by LC-MS.

		Result (mg/kg)
	CAS-No.	<u>A1</u>
Nonylphenol (NP)		n.d.
Octylphenol (OP)		n.d.
Nonylphenol Ethoxylate (NPEO)		n.d.
Octylphenol Ethoxylate (OPEO)		n.d.
Sum of NP, OP, NPEO and OPEO		n.d.
Conclusion		PASS

Note: n.d. = not detected

mg/kg = ppm

Reporting limit = 3 mg/kg (AP); 5 mg/kg (APEO)

Requirement:

Nonylphenol (NP) 10 mg/kg Octylphenol (OP) 10 mg/kg Sum of NP, OP, NPEO and OPEO 100 mg/kg

PFOS & PFOA and its salts and esters

Not Applicable

Dimethylfumarate (DMFu)

Not Applicable

Remark: Above tests (*) are accredited ISO 17025: 2005 by VILAS.

> Report results refer to submitted sample(s) only *** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.